

Datenblatt für Artikel: LID13784--

7835W/D LED STRIP 24V DC DL 5m ROLL

14,4W/m IP68

LED Flexstrip, dimmbar, 5 Meter Rolle



Produktinfo

Waterproof flexible LED light strip, with SMD2835 LEDs, 70LEDs/meter, 14,4W/meter. Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing, IP68. Can be cut every 10cm (7-LED segment). Requires 24V DC constant voltage LED driver. Complies with standard EN60598-1 and any other specific standards.

Technische Daten

Lichtfarbe	kaltweiß
Farbtemperatur (K)	6000
Farbwiedergabeindex Ra	≥90
Dimmbar	Abhängig vom Treiber ja
Schutzklasse	III
Schutzart	IP68
EEK	F
Energieeffizienzklasse	F
Leuchtenart	LED Strip
Leuchtmittel inkl.	ja
Fassung	LED Platine

Technische Daten - Fortsetzung

Systemeffizienz (lm/W)	81
Betriebsgerät	Muss separat bestellt werden
Betriebsspannung DC (V)	24
Eingangsspannung DC (V)	24
Montage	Deckenanbau Wandanbau Bodenanbau
Material	Silikon
Länge (mm)	5000
Breite (mm)	10
Optionales Zubehör	LID16631--
Lichtstrom/m (lm/m)	1170

Artikeltabelle

BEZEICHNUNG	BEST.NR.
7835W/D LED STRIP 24V DC DL 5m ROLL 14,4W/m IP68 LED Flexstrip, dimmbar, 5 Meter Rolle	LID13784
Optionales Zubehör	
7827A MOUNTING CLIP FÜR 7830W/RGBW, 7846W, 7846WA 14mm 08 STRIPS & PROFILES	LID16631